Food and Drug Administration, HHS

this section do not exist or have been waived.

[59 FR 63895, Dec. 12, 1994]

§ 184.1034 Catalase (bovine liver).

- (a) Catalase (bovine liver) (CAS Reg. No. 9001–05–2) is an enzyme preparation obtained from extracts of bovine liver. It is a partially purified liquid or powder. Its characterizing enzyme activity is catalase (EC 1.11.1.6).
- (b) The ingredient meets the general requirements and additional requirements for enzyme preparations in the Food Chemicals Codex, 3d ed. (1981), p. 110, which is incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies are available from the National Academy Press, 2101 Constitution Ave., NW., Washington, DC 20418, or may be examined at the Office of Premarket Approval (HFS-200), Food and Drug Administration, 200 C St., SW., Washington, DC, and the Office of the Federal Register, 800 North Capitol St. NW., suite 700, Washington, DC.
- (c) In accordance with §184.1(b)(1), the ingredient is used in food with no limitation other than current good manufacturing practice. The affirmation of this ingredient as GRAS as a direct food ingredient is based upon the following current good manufacturing practice conditions of use:
- (1) The ingredient is used as an enzyme as defined in §170.3(o)(9) of this chapter to decompose hydrogen peroxide.
- (2) The ingredient is used in food at levels not to exceed current good manufacturing practice.

[60 FR 32910, June 26, 1995]

§184.1061 Lactic acid.

- (a) Lactic acid ($C_3H_6O_3$, CAS Reg. Nos.: DL mixture, 598–82–3; L-isomer, 79–33–4; D-isomer, 10326–41–7), the chemical 2-hydroxypropanoic acid, occurs naturally in several foods. It is produced commercially either by fermentation of carbohydrates such as glucose, sucrose, or lactose, or by a procedure involving formation of lactonitrile from acetaldehyde and hydrogen cyanide and subsequent hydrolysis to lactic acid.
- (b) The ingredient meets the specifications of the Food Chemicals Codex,

3d Ed. (1981), p. 159, which is incorporated by reference. Copies are available from the National Academy Press, 2101 Constitution Avenue, NW., Washington, DC 20418, or available for inspection at the Office of the Federal Register, 800 North Capitol Street, NW., suite 700, Washington, DC 20408.

- (c) In accordance with §184.1(b)(1), the ingredient is used in food with no limitation other than current good manufacturing practice. The affirmation of this ingredient as generally recognized as safe (GRAS) as a direct human food ingredient is based upon the following current good manufacturing practice conditions of use:
- (1) The ingredient is used as an antimicrobial agent as defined in $\S170.3(o)(2)$ of this chapter; a curing and pickling agent as defined in $\S170.3(o)(5)$ of this chapter; a flavor enhancer as defined in $\S170.3(o)(11)$ of this chapter; a flavoring agent and adjuvant as defined in $\S170.3(o)(12)$ of this chapter; a pH control agent as defined in $\S170.3(o)(23)$ of this chapter; and a solvent and vehicle as defined in $\S170.3(o)(27)$ of this chapter.
- (2) The ingredient is used in food, except in infant foods and infant formulas, at levels not to exceed current good manufacturing practice.
- (d) Prior sanctions for this ingredient different from the uses established in this section do not exist or have been

[49 FR 35367, Sept. 7, 1984]

§ 184.1063 Enzyme-modified lecithin.

- (a) Enzyme-modified lecithin is prepared by treating lecithin with either phospholipase A_2 (EC 3.1.1.4) or pancreatin.
- (b) The ingredient meets the specifications in paragraphs (b)(1) through (b)(8) of this section. Unless otherwise noted, compliance with the specifications listed below is determined according to the methods set forth for lecithin in the Food Chemicals Codex, 4th ed. (1996), pp. 220–221, which are incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies are available from the National Academy Press, 2101 Constitution Ave. NW., Washington DC 20418, or may be examined at the Center for Food Safety and Applied Nutrition's Library, 200 C